

EARTHQUAKE GAS SHUTOFF VALVE

HORIZONTAL FLOW



	<u>P.S.I.</u>	
3/4"	7	#KOSO300
1"	7	#KOSO301
1-1/4"	7	#KOSO302
1-1/2"	7	#KOSO303
2"	60	#KOSO314

MANY OTHER SIZES AND VARIATIONS AVAILABLE

www.4gasoff.net

GAS REGULATOR



- 3/4"** **#1813C-7**
- 1/2" ORIFICE
- OUTLET: 6"-15" WATER COLUMN
- FLOW RATE: 500 CFH @ 5# INLET

- 1"** **#1813C-10**
- 9/16" ORIFICE
- OUTLET: 6"-15" WATER COLUMN
- FLOW RATE: 1500 CFH @ 5# INLET

- 1-1/4"** **#1813C-12**
- 9/16" ORIFICE
- OUTLET: 6"-15" WATER COLUMN
- FLOW RATE: 2200 CFH @ 5# INLET

OTHER SIZES AND CONFIGURATIONS AVAILABLE

SOLENOID VALVE, BRASS



**ASCO RED-HAT
BRASS BODY**

GENERAL PURPOSE
NORMALLY CLOSED
5# OF PRESSURE REQUIRED ON INLET SIDE OF VALVE TO OPEN
STANDARD VOLTAGE: 120 VOLT AC

GOOD TO 180°F:

1/4"	#8210B20
3/8"	#8210G1
1/2"	#8210G2
3/4"	#8210G9
1"	#8210G4
1-1/4"	#8210G8
1-1/2"	#8210G22
2"	#8210G100

GOOD TO 210°F:

1/2"	#8210G2-HW
3/4"	#8210G9-HW

VOLTAGE OPTIONS:
AC - 24, 240 & 480 VOLTS
DC - 6, 12, 24, 120 & 240 VOLTS

- OPTIONS:
- STAINLESS STEEL BODY
 - NORMALLY OPEN
 - 0# DIFFERENTIAL
 - EXPLOSION PROOF

REPLACEMENT COILS AND REPAIR KITS IN STOCK.

MANY OTHER VALVES AVAILABLE

www.ascovalue.com

SOLENOID VALVE, PLASTIC



PLASTIC BODY (NORYL)

GENERAL PURPOSE
NORMALLY CLOSED
GOOD TO 180°F
VITON SEALS
120 VOLT AC

1/2"	#PISV5
3/4"	#PISV7
1"	#PISV10

LARGER SIZES AVAILABLE

MIXING VALVES, THERMOSTATIC



SEE PAGE 170

We gladly accept...



WATER REGULATORS

**WILKINS
#70 DUC &
#NR3 DUC**



**BRASS
BODY,
SWEAT**

- 25# - 75# (SET 50#)**
 3/4" #WIL70DUC7
 1" #WIL70DUC10
 1-1/4" #NR3DUC12
 1-1/2" #NR3DUC15
 2" #NR3DUC20

DOUBLE UNION – SWEAT ENDS

**WILKINS
#500**



**BRASS
BODY,
THREADED**

- 25# - 75# (SET 50#)**
 3/4" #WIL5007
 1" #WIL50010
 1-1/4" #WIL50012
 1-1/2" #WIL50015
 2" #WIL50020
 2-1/2" #WIL50025
 3" #WIL50030

(2-1/2" & 3" NO UNION)

**WATTS
#26A**



**BRASS
BODY,
THREADED**

- 10# - 125# (SET 25#)**
 1/4" #26A2
 3/8" #26A3
 1/2" #26A5

WATER REGULATORS

**WILKINS
#600**



**BRASS
BODY,
THREADED**

- 25# - 75# (SET 50#)**
 3/4" #WIL6007
 1" #WIL60010
 1-1/4" #WIL60012
 1-1/2" #WIL60015
 2" #WIL60020

- 75# - 125# (SET 85#)**
 1" #WIL600HR10
 1-1/2" #WIL600HR15
 2" #WIL600HR20

REPAIR KITS IN STOCK

**WATTS
#25AUB**



**BRASS
BODY,
THREADED**

- 25# - 75# (SET 50#)**
 1/2" #25AUB5
 3/4" #25AUB7
 1" #25AUB10
 1-1/4" #25AUB12
 1-1/2" #25AUB15
 2" #25AUB20

- 10# - 35# (SET 30#)**
 1/2" #25AUB-LP5
 3/4" #25AUB-LP7
 1" #25AUB-LP10

REPAIR KITS IN STOCK

****WEBSITES****

WILKINS: www.zurn.com
www.watts.com
www.bellgossett.com

STEAM REGULATOR

**WATTS
#152A**



**IRON
BODY**

- RANGE**
- | | | |
|------|---------|-----------|
| 1/2" | 3-15# | #152A53 |
| 1/2" | 10-50# | #152A510 |
| 1/2" | 30-140# | #152A530 |
| 3/4" | 3-15# | #152A73 |
| 3/4" | 10-50# | #152A710 |
| 3/4" | 30-140# | #152A730 |
| 1" | 3-15# | #152A103 |
| 1" | 10-50# | #152A1010 |
| 1" | 30-140# | #152A1030 |

LARGER SIZES AVAILABLE

CIRCUIT SETTER

**BELL &
GOSSETT**



**BALANCING
VALVE**

- SWEAT ENDS:**
- | | |
|--------|---------|
| 1/2" | #117412 |
| 3/4" | #117413 |
| 1" | #117401 |
| 1-1/4" | #117402 |
| 1-1/2" | #117403 |
| 2" | #117404 |

- THREADED ENDS:**
- | | |
|--------|---------|
| 1/2" | #117414 |
| 3/4" | #117415 |
| 1" | #117416 |
| 1-1/4" | #117103 |
| 1-1/2" | #117104 |
| 2" | #117105 |

LARGER SIZES AVAILABLE

PRESSURE RELIEF VALVES

MODEL #174A

BRONZE BODY



FOR HOT WATER HEATING BOILER EQUIPMENT

<u>FEMALE INLET & OUTLET</u>	<u>RELIEF SETTING</u>	
3/4"	30#	#174A730
3/4"	100#	#174A7100
3/4"	125#	#174A7125
3/4"	150#	#174A7150
1"	30#	#174A1030
1"	100#	#174A10100
1"	125#	#174A10125
1"	150#	#174A10150

OTHER VALVES AVAILABLE

www.watts.com

MODEL #740

IRON BODY



FOR HOT WATER SPACE HEATING BOILER EQUIPMENT

<u>FEMALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	30#	#740730
3/4"	50#	#740750
3/4"	75#	#740775

1" FEMALE OUTLET

OTHER VALVES AVAILABLE

RELIEF VALVE TEMPERATURE & PRESSURE (T&P VALVE)



RELIEF SETTING:
150# AND/OR 210° F

<u>MALE INLET</u>	<u>FEMALE OUTLET</u>	
3/4"	3/4"	#100XL 100,000 B.T.U.
3/4"	3/4"	#L100XL LONG SHANK 100,000 B.T.U.
3/4"	3/4"	#40XL-5 200,000 B.T.U.
1"	1"	#40XL-4 500,000 B.T.U.

PROVIDES FULLY AUTOMATIC TEMPERATURE AND PRESSURE RELIEF PROTECTION FOR HOT WATER STORAGE TANKS AND HEATERS.

OTHER T&P VALVES AVAILABLE

STEAM RELIEF VALVE (LOW PRESSURE)



MODEL #415

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	8#	#41578
3/4"	15#	#415715

WATER RELIEF VALVE



MODEL #3L

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
3/4"	100#	#3L7100
3/4"	125#	#3L7125
3/4"	150#	#3L7150

3/4" FEMALE OUTLET

WATER RELIEF VALVE, ADJUSTABLE



MODEL #530C

<u>MALE INLET</u>	<u>RELIEF SETTING</u>	
1/2"	50-175#	#530C5
3/4"	50-175#	#530C7

RELIEF VALVES



TO ORDER A RELIEF VALVE NOT SHOWN, CALL WITH YOUR REQUIREMENTS.

REQUIRED INFORMATION:

- PIPE SIZE (INLET & OUTLET) (MALE OR FEMALE)
- MEDIA (WATER, AIR, STEAM, ETC.)
- RELIEF SETTING
- TEMPERATURE

AIR RELIEF VALVE

FOR COMPRESSED AIR APPLICATIONS



MALE	RELIEF SETTING	
1/4"	25#	#KIN3
1/4"	50#	#KIN4
1/4"	75#	#KIN5
1/4"	100#	#KIN6
1/4"	125#	#KIN7
1/4"	150#	#KIN8
1/4"	175#	#KIN9
1/4"	200#	#KIN10
<hr/>		
1/2"	100#	#KIN30
1/2"	125#	#KIN31
1/2"	150#	#KIN32
1/2"	175#	#KIN33
1/2"	200#	#KIN34

STEAM TRAPS

ARMSTRONG

INVERTED BUCKET TRAP



RATED 125#

#800 SERIES

1/2"	#ARM3
3/4"	#ARM4

#811 SERIES

1/2"	#ARM8
3/4"	#ARM9

SARCO

DISC STEAM TRAP



AVAILABLE SIZES: 3/8" - 1"

AIR VENTS



HOFFMAN #79

RATED 75#

3/4" MALE (& 1/2" FEMALE THREADS) #79



HOFFMAN #78

CAST BRASS

RATED 150#

3/4" MALE #78



BELL & GOSSETT #400

RATED 150#

1/8" MALE #400

RAGS



WHITE COTTON

12 PACK

14" x 17" #TCRAGS

VACUUM RELIEF VALVE



FOR WATER SERVICE

1/2" #N365

AUTOMATICALLY VENTS A SYSTEM WHEN VACUUM OCCURS

BY-PASS CONTROL VALVE



BRASS BODY

1/2" MALE

RANGE

10-50#	#BP30A
40-100#	#BP30B
75-175#	#BP30C

DIAPHRAGM ACTUATED BY-PASS RELIEF VALVE PROTECTS EQUIPMENT BY OPENING AT DESIRED SETTING AND ALLOWING EXCESS VOLUME TO BE BY-PASSED BACK TO SOURCE.

WATER HEATER GAS SHUT-OFF VALVE



#210-5-7

TANK CONNECTION: 3/4" MALE

GAS CONNECTION: 1/2" FEMALE

PROVIDES PROTECTION FOR GAS WATER HEATERS AGAINST OVER HEATING BY SHUTTING OFF GAS SUPPLY AT 210°F. USE WITH #3L-7150 RELIEF VALVE.

WATER HAMMER ARRESTOR

DESIGNED TO PREVENT NOISES FROM BANGING PIPES AND WATER HAMMER



- 1/2" #WHA155
- 3/4" #WHA157
- 1" #WHA1510
- 1-1/4" #WHA1512
- 1-1/2" #WHA1515
- 2" #WHA1520

WATER HAMMER ARRESTOR, MINI

1/2" MIP MINI

#P06389C



3/4" INLET: FHT
OUTLET: MHT

#P06399C



FHT = FEMALE HOSE THREAD
MHT = MALE HOSE THREAD

FLOW SWITCH

1" MIP

#FS10C10



PADDLE TYPE FLOW SWITCH ACTUATED BY LIQUID FLOW. EQUAL TO McDONNELL MILLER #FS4-3

TRAP PRIMERS, 1/2"



MIFAB

#MR-500



MIFAB DISTRIBUTION UNIT

2, 3 OR 4 OUTLETS (5/8" COMPRESSION OUTLETS)

#MIDU-625



SIOUX CHIEF

#695-01

(FORMALLY E&S #ES100)



WATTS

#A200T5

UNIVERSAL AIR VALVE (COMBINATION)

BRONZE & STAINLESS INTERNALS



CRISPIN

- 1" #UL10.1
- 2" #UL20.1

ALL STAINLESS INTERNALS AVAILABLE

COMBINATION DUAL UNIT VALVE

FOR HYDRONIC APPLICATIONS



COMBINATION RELIEF AND REDUCING VALVE SET.

RELIEF VALVE: SET AT 30#
REDUCING VALVE: SET AT 12#

1/2" BRASS #F-3

www.bellgossett.com

PRESSURE REDUCING VALVE

FOR HYDRONIC APPLICATIONS



RANGE: 10-25#

FACTORY SET: 12#

1/2" BRASS BODY #B-38
3/4" BRASS BODY #B7-12

FLOAT BALL

COPPER



<u>DIAMETER</u>	<u>ROD SIZE</u>	
4"	1/4	#CFC4
6"	1/4	#CFC6
7"	5/16	#CFC7
8"	3/8	#CFC8

(ROD SIZE = BOLT THREAD)

FLOAT ROD



<u>ROD SIZE</u>	<u>LENGTH</u>	
1/4 x 1/4	10"	#FR11
1/4 x 5/16	12"	#FR115
5/16 x 5/16	12"	#FR12
5/16 x 3/8	12"	#FR125
3/8 x 3/8	12"	#FR13

(ROD SIZE = BOLT THREAD)

EXPANSION TANK

FOR PORTABLE HOT WATER SYSTEMS




3/4" MALE INLET

<u>TANK VOLUME</u>	
2.1 GALLON	#PLT5
4.5 GALLON	#PLT12
8.5 GALLON	#PLT20

FLOAT VALVES



BRASS FLOAT VALVE FOR CONTROLLING WATER FLOW TO COOLING TOWERS AND OTHER COMMERCIAL APPLICATIONS



<u>MALE INLET</u>	<u>ROD SIZE</u>	
3/8"	1/4	#FV375
1/2"	1/4	#FV500
3/4"	1/4	#FV750

(ROD SIZE = BOLT THREAD)



<u>FEMALE INLET</u>	<u>ROD SIZE</u>	
1"	5/16	#FV1000
1-1/4"	3/8	#FV1250
1-1/2"	3/8	#FV1500
2"	3/8	#FV2000

(ROD SIZE = BOLT THREAD)



COOLER VALVE
1/4" COMPRESSION
#FVC14F
(FLOAT INCLUDED)

VACUUM BREAKER (WATTS)



**ANTI-SYPHON
ATMOSPHERIC
TYPE**

CHROME PLATED:

3/8"	#288AC3
1/2"	#288AC5
3/4"	#288AC7

ROUGH BRASS:

1/2"	#288A5
3/4"	#288A7
1"	#288A10

REPAIR KITS FOR ABOVE:

1/4" & 3/8"	#288A-T025
1/2"	#288A-T050
3/4" & 1"	#288A-T075

VACUUM BREAKER, HOSE BIBB

FITS HOSE BIBB OUTLET



ROUGH BRASS #58ABP-B
SATIN FINISH #58ABP-SAT

VACUUM BREAKER, LABORATORY FAUCET



**CHROME
PLATED**

3/8" #NLF93

FITS STANDARD LABORATORY FAUCET OUTLET

BACKFLOW DEVICES

R.P. TYPE
(REDUCED PRESSURE)



FEBCO #825Y

- 3/4" #825Y7
- 1" #825Y10
- 1-1/4" #825Y12
- 1-1/2" #825Y15
- 2" #825Y20

REPAIR KITS:

- 3/4" - 1-1/4" #905-111
- 1-1/2" - 2" #905-112

AIR GAP:

- 3/4" - 2" #905-082



FEBCO #825YA
ANGLE PATTERN

- 3/4" #825YA7
- 1" #825YA10
- 1-1/2" #825YA15
- 2" #825YA20

**PRESSURE
VACUUM
BREAKER**



FEBCO #765

- 1/2" #7655
- 3/4" #7657
- 1" #76510
- 1-1/4" #76512
- 1-1/2" #76515
- 2" #76520

BACKFLOW DEVICES

R.P. TYPE
(REDUCED PRESSURE)



WILKINS #975XL

- 1/2" #975XL5
- 3/4" #975XL7
- 1" #975XL10
- 1-1/4" #975XL12
- 1-1/2" #975XL15
- 2" #975XL20

REPAIR KITS:

- 1/2" #RK975XL14
- 3/4" & 1" #RK975XL34
- 1-1/4" - 2" #RK975XL114

AIR GAPS:

- 1/2" #AG8
- 3/4" & 1" #AG4
- 1-1/4" - 2" #AG5



WILKINS #375

FLANGED
R.P. TYPE
NON-RISING STEM GATE VALVES

IF REPLACING AN EXISTING
FLANGED DEVICE, MUST VERIFY
OVERALL LENGTH.

OVERALL
LENGTH

- 2-1/2" 31" #37525
- 3" 32" #37530
- 4" 37-5/8" #37540
- 6" 44-3/4" #37560

BACKFLOW DEVICES

R.P. TYPE
(REDUCED PRESSURE)



WATTS #009QT

- 1/2" #009QT5
- 3/4" #009QT7
- 1" #009QT10
- 1-1/4" #009QT12
- 1-1/2" #009QT15
- 2" #009QT20

AIR GAPS:

- 1/2" & 3/4" #909AGA
- 1" - 1-1/2" #909AGC
- 2" #909AGF

BACKFLOW DEVICE

AIR GAP



**IN STOCK
FOR MOST
R.P. DEVICES
SHOWN ON
THIS PAGE.**

CONNECTS TO R.P. DEVICES
RELIEF VALVE. ALLOWS
DISCHARGE TO BE PIPED TO
APPROPRIATE LOCATION.

**** WEBSITES ****



WILKINS: www.zurn.com

www.febcoonline.com

www.watts.com

BACKFLOW PROTECTIVE CAGE



#BC2424	#BC4230
24" LONG	42" LONG
24" HIGH	30" HIGH
12" WIDE	12" WIDE

OUTSIDE DIMENSIONS SHOWN
MANY OTHER SIZES AVAILABLE

www.allspecenclosures.com

BACKFLOW DEVICE TEST COCK

BRASS BODY



SCREWDRIVER STOP

MALE x FEMALE

1/8" x 1/4"	#755-MFZ0
1/4" x 1/4"	#755-MFZ1

BACKFLOW DEVICE BALL VALVE

BRASS BODY



TAPPED FOR TEST COCK

1/2"	#781-244
3/4"	#781-053
1"	#781-054
1-1/4"	#781-055
1-1/2"	#781-056
2"	#781-057

(TEST COCK SOLD SEPARATELY)

WATER METER



BRASS BODY

READS G.P.M.
TOTALIZER
(NON-RESETTABLE)

MALE ENDS:

3/4"	#T107
1"	#T1010

FEMALE FLANGED ENDS:

1-1/2"	#T1015
2"	#T1020

WATER METER WASHER & GASKET



3/4" WASHER	#T10W7
1" WASHER	#T10W10
1-1/2" GASKET	#T10W15
2" GASKET	#T10W20

WATER METER COUPLER & FLANGE



3/4" COUPLER	#T10A7
1" COUPLER	#T10A10
1-1/2" FLANGE	#T10A15*
2" FLANGE	#T10A20*

*FLANGE INCLUDES:

1 FLANGE
1 GASKET
2 BOLTS/NUTS

HOSE REEL



REELCRAFT

1/4" x 50'	#5450-OLP
3/8" x 50'	#5650-OLP
1/2" x 50'	#A5850-OLP
3/8" x 100'	#81100-OLP
1/2" x 75'	#82075-OLP

OTHER REELS AVAILABLE



CAN'T FIND IT?

GIVE US A CALL

(714) 241-7050

We gladly accept...



Come on by!

FLOW METER

**BLUE
WHITE**

**#F-300
SERIES**



SADDLE TYPE.
FOR INSTALLATION ON
HORIZONTAL PLASTIC PIPE.

FITS PIPE SIZE	G.P.M. SCALE	
1-1/2"	20-100	#F30150P
2"	40-150	#F30200P
2-1/2"	60-240	#F30250P
3"	80-300	#F30300P
4"	125-500	#F30400P

OTHER PIPE SIZES AND
SCALES AVAILABLE

**SIGHT FLOW
INDICATOR**

**BRONZE
BODY**



PADDLE MOVEMENT INDICATES
FLOW IN LINE

FEMALE ENDS	
1/2"	#SFI3
3/4"	#SFI4
1"	#SFI5
1-1/4"	#SFI6
1-1/2"	#SFI7
2"	#SFI8

FLOW METERS



**BLUE
WHITE**

**#F-400N,
#F-410N &
#F-430N
SERIES**

FEMALE ENDS	G.P.M. SCALE	
1/2"	.5-5	#F40500LN-8
3/4"	1-10	#F40750LN-12
3/4"	1-17	#F41017LN-12
1"	1-10	#F40750LN-16
1"	1-17	#F41017LN-16
1-1/2"	4-40	#F43040LNS-24
1-1/2"	6-60	#F43060LNS-24
1-1/2"	8-80	#F43080LNS-24
1-1/2"	20-100	#F43100LNS-24
2"	4-40	#F43040LNS
2"	6-60	#F43060LNS
2"	8-80	#F43080LNS
2"	20-100	#F43100LNS

www.blue-white.com



**BLUE
WHITE**

**#F-440
SERIES**

**UNION
ENDS**

MALE ENDS	G.P.M. SCALE	
3/8"	.2-2	#F44376L-6
3/8"	.5-5	#F44500L-6
1/2"	.2-2	#F44376L-8
1/2"	.5-5	#F44500L-8
3/4"	1-10	#F44750L-12

OTHER PIPE SIZES AND
SCALES AVAILABLE

WATER GAUGE SET



**COMPLETE
SET WITH
2 VALVES**

**GLASS:
5/8" x 12"**

#20-104

OTHER STYLES AVAILABLE

GAUGE GLASS



5/8" O.D. x 12" LONG #906C

MANY OTHER SIZES AVAILABLE
INCLUDING RED LINE GLASS

GAUGE GLASS WASHER



**FITS 5/8"
O.D. GLASS**

#UNV907

GLASS TUBE CUTTER



#69012

CUTS 1/4" - 3/4" O.D.
GAUGE GLASS

THERMOMETER

(ECONOMY)

5" SCALE

40° - 280°F

3/4" M.I.P.



STRAIGHT #1445
ANGLE #1444

PRESSURE & TEMPERATURE TEST PORT

(PETE'S PLUG)

BRASS BODY



MALE
1/4" #N76-02
1/2" #N78-02

CAN'T FIND IT?

(714) 241-7050



THERMOMETER

VARI-ANGLE

9" SCALE

INCLUDES BRASS WELL



3/4" MALE CONNECTION
3-1/2" LONG STEM

30° - 240°F #VAT9240
0° - 100°F #VAT9100

BRASS WELL ONLY: #VATWO

TEMPERATURE & PRESSURE GAUGE



3-1/2" SQUARE FACE

1/2" MALE BACK CONNECTION

TEMPERATURE: 60° - 260°F

0 - 60# #Y-22002
0 - 200# #Y-22012

DIAL THERMOMETERS

BACK MOUNT



0° - 250°F

2-1/2" STEM

FACE	MALE CONNECTION	
2-1/2"	1/4"	#TRM2
3"	1/2"	#TRM3
5"	1/2"	#TRM5

BOTTOM MOUNT



0° - 250°F

2-1/2" STEM

FACE	MALE CONNECTION	
3"	1/2"	#TRM8
5"	1/2"	#TRM9

THERMOMETER WELL



STAINLESS

2-3/4" LONG

FEMALE	MALE	
1/4"	1/2"	#STW52
1/2"	1/2"	#STW5

(FOR ABOVE THERMOMETERS)

POCKET DIAL THERMOMETER



0° - 220°F #PDT-220



PRESSURE GAUGES

**1/4"
BACK
CONNECTION**



1-1/2" FACE: (1/8" CONNECTION)

- 0 - 30# #J0642
- 0 - 60# #J0646
- 0 - 100# #J0648
- 0 - 160# #J0652
- 0 - 200# #J0654

2" FACE:

- 0 - 15# #J2040
- 0 - 30# #J2042
- 0 - 60# #J2046
- 0 - 100# #J2048
- 0 - 160# #J2052
- 0 - 200# #J2054
- 0 - 300# #J2058
- 0 - 600# #J2064

2-1/2" FACE:

- 0 - 15# #J5440
- 0 - 30# #J5442
- 0 - 60# #J5446
- 0 - 100# #J5448
- 0 - 160# #J5452
- 0 - 200# #J5454
- 0 - 300# #J5458
- 0 - 400# #J5460
- 0 - 600# #J5464



PRESSURE GAUGES

**1/4"
BOTTOM
CONNECTION**



1-1/2" FACE: (1/8" CONNECTION)

- 0 - 30# #J0442
- 0 - 60# #J0446
- 0 - 100# #J0448
- 0 - 160# #J0452
- 0 - 200# #J0454

2" FACE:

- 0 - 15# #J1440
- 0 - 30# #J1442
- 0 - 60# #J1446
- 0 - 100# #J1448
- 0 - 160# #J1452
- 0 - 200# #J1454
- 0 - 300# #J1458
- 0 - 600# #J1464

2-1/2" FACE:

- 0 - 15# #J4640
- 0 - 30# #J4642
- 0 - 60# #J4646
- 0 - 100# #J4648
- 0 - 160# #J4652
- 0 - 200# #J4654
- 0 - 300# #J4658
- 0 - 400# #J4660
- 0 - 600# #J4664

3-1/2" FACE:

- 0 - 60# #J8046
- 0 - 100# #J8048
- 0 - 160# #J8052
- 0 - 200# #J8054

4-1/2" FACE:

- 0 - 15# #J9040
- 0 - 30# #J9042
- 0 - 60# #J9046
- 0 - 100# #J9048
- 0 - 160# #J9052
- 0 - 200# #J9054
- 0 - 300# #J9058
- 0 - 600# #J9064

**PRESSURE GAUGES
- LIQUID FILLED -**

**1/4"
BOTTOM
CONNECTION,
LIQUID
FILLED**



STAINLESS STEEL CASE WITH
BRASS INTERNALS

2-1/2" FACE: (LIQUID)

- 0 - 15# #J7640P
- 0 - 30# #J7642P
- 0 - 60# #J7646P
- 0 - 100# #J7648P
- 0 - 160# #J7652P
- 0 - 200# #J7654P
- 0 - 300# #J7658P
- 0 - 600# #J7664P

**1/4"
BACK
CONNECTION,
LIQUID
FILLED**



STAINLESS STEEL CASE WITH
BRASS INTERNALS

2-1/2" FACE: (LIQUID)

- 0 - 30# #J7842P
- 0 - 60# #J7846P
- 0 - 100# #J7848P
- 0 - 160# #J7852P
- 0 - 200# #J7854P

**1/4"
BOTTOM
CONNECTION,
LIQUID
FILLED**



- ALL STAINLESS -
STAINLESS STEEL CASE WITH
STAINLESS INTERNALS

2-1/2" FACE: (LIQUID)

- 0 - 60# #J6446P
- 0 - 100# #J6448P
- 0 - 160# #J6452P
- 0 - 200# #J6454P

**DIAPHRAGM GAUGE,
LOW PRESSURE**

**1/4"
BOTTOM
CONNECTION**

2-1/2" FACE



READS IN WATER
COLUMN (INCHES).
GOOD FOR NATURAL GAS.

FOR PRESSURE:

- 0 - 15" #G24500
- 0 - 30" #G22704
- 0 - 60" #G22705

FOR VACUUM:

- 0 - 15" #G22912
- 0 - 30" #G22914
- 0 - 60" #G22918
- 0 - 100" #G24502
- 0 - 200" #G22921

PET COCK VALVE

**1/4"
BRASS
BODY**



- MALE x FEMALE #PMF2
- MALE x MALE #PMM2
- FEMALE x FEMALE #PFF2

PRESSURE SNUBBER

**1/4"
BRASS
BODY**



SNUBBERS DAMPEN
PULSATION BEFORE IT
REACHES THE GAUGE

- AIR SERVICE #872-1
- WATER & LIGHT
FLUIDS #872-2

VACUUM GAUGE



**1/4"
BOTTOM
CONNECTION**

2-1/2" FACE:

- 0 - 30" #J4605

3-1/2" FACE:

- 0 - 30" #J8005

**COMPOUND GAUGE
(VACUUM & PRESSURE)**



**1/4"
BOTTOM
CONNECTION**

2-1/2" FACE:

- 0-30" x 30# #J4612
- 0-30" x 60# #J4614
- 0-30" x 100# #J4616

3-1/2" FACE:

- 0-30" x 30# #J8012
- 0-30" x 60# #J8014
- 0-30" x 100# #J8016

GAUGE PIGTAIL SYPHON

PROTECTS GAUGES
FROM STEAM



- 1/4" 180°
STRAIGHT #1459
- 1/4" 90°
ANGLE #1460

AIR TEST GAUGE

FOR NATURAL GAS LINES



**3/4"
FEMALE
INLET**

MARKINGS

- 0 - 15# 1/10 PSI #ATG15
- 0 - 30# 1/2 PSI #ATG30
- 0 - 60# 1 PSI #ATG60
- 0 - 100# 2 PSI #ATG100

WATER TEST GAUGE



**3/4"
FEMALE
GARDEN
HOSE
INLET**

- 0 - 160# #WTG160
- 0 - 300# #WTG300
- 0 - 300# #WTG300LH
WITH LAZY HAND

PVC GAUGE GUARD



**VITON
SEALS**

**GAUGE
SOLD
SEPARATELY**

PROTECT GAUGES AND
OTHER INSTRUMENTS
FROM CORRODING.
ALSO PREVENTS GAUGES
FROM CONTAMINATING
SENSITIVE FLUIDS.

- 1/4" x 1/4" #G0003-002
- 1/2" x 1/4" #G0003-005
- GLYCERIN, 4 OZ. #GLY