


BRASS VALVES




**BRONZE BALL VALVE
THREADED – FULL PORT
THREE PIECE - DOMESTIC**

600# CWP – 150# STEAM

1/4"	#T5952
1/2"	#T5955
3/4"	#T5957
1"	#T59510
1-1/4"	#T59512
1-1/2"	#T59515
2"	#T59520
2-1/2"	#T59025*
3"	#T59030*

* CONVENTIONAL PORT



**BRONZE BALL VALVE
SWEAT – FULL PORT
THREE PIECE - DOMESTIC**

600# CWP – 150# STEAM

1/2"	#S5955
3/4"	#S5957
1"	#S59510
1-1/4"	#S59512
1-1/2"	#S59515
2"	#S59520
2-1/2"	#S59025*
3"	#S59030*

*CONVENTIONAL PORT

BRASS VALVES



**BRASS BALL VALVE
THREADED – FULL PORT**

1/2" - 2" - 600# CWP

	<u>POTABLE WATER</u>	<u>NON-POTABLE WATER</u>
1/4"	#TFPLF2	—
3/8"	#TFPLF3	—
1/2"	#TFPLF5	#TFP5*
3/4"	#TFPLF7	#TFP7*
1"	#TFPLF10	#TFP10*
1-1/4"	#TFPLF12	#TFP12*
1-1/2"	#TFPLF15	#TFP15*
2"	#TFPLF20	#TFP20*
2-1/2"	#TFPLF25*	#TFP25
3"	#TFPLF30*	#TFP30
4"	#TFPLF40	#TFP40

*APPROVED FOR NATURAL GAS



**BRONZE BALL VALVE
THREADED – FULL PORT
DOMESTIC**

600# CWP

	<u>POTABLE WATER</u>	<u>NON-POTABLE WATER</u> <small>(150# STEAM RATED)</small>
1/4"	#T77C2	#T5852
3/8"	#T77C3	#T5853
1/2"	#T77C5	#T5855
3/4"	#T77C7	#T5857
1"	#T77C10	#T58510
1-1/4"	#T77C12	#T58512
1-1/2"	#T77C15	#T58515
2"	#T77C20	#T58520

BRASS VALVES



**BRASS BALL VALVE
SWEAT – FULL PORT**

1/2" - 2" - 600# CWP

	<u>POTABLE WATER</u>	<u>NON-POTABLE WATER</u>
1/2"	#SFPLF5	#SFP5
3/4"	#SFPLF7	#SFP7
1"	#SFPLF10	#SFP10
1-1/4"	#SFPLF12	#SFP12
1-1/2"	#SFPLF15	#SFP15
2"	#SFPLF20	#SFP20
2-1/2"	#SFPLF25	#SFP25
3"	#SFPLF30	#SFP30
4"	#SFPLF40	—



**BRONZE BALL VALVE
SWEAT – FULL PORT
DOMESTIC**

600# CWP

	<u>POTABLE WATER</u>	<u>NON-POTABLE WATER</u> <small>(150# STEAM RATED)</small>
1/4"	—	#S5852
3/8"	—	#S5853
1/2"	#S77C5	#S5855
3/4"	#S77C7	#S5857
1"	#S77C10	#S58510
1-1/4"	#S77C12	—
1-1/2"	#S77C15	—
2"	#S77C20	—

CARBON STEEL VALVES



**CARBON STEEL BALL VALVE
THREADED
STAINLESS BALL & STEM
CONVENTIONAL PORT
VENTED BALL
2000# CWP**

1/4"	#T560C2
3/8"	#T560C3
1/2"	#T560C5
3/4"	#T560C7
1"	#T560C10
1-1/4"	#T560C12
1-1/2"	#T560C15
2"	#T560C20

www.nibco.com



**CARBON STEEL BALL VALVE
THREADED
THREE PIECE
STAINLESS BALL & STEM
CONVENTIONAL PORT
VENTED BALL
1000# CWP**

1/2"	#T35955
3/4"	#T35957
1"	#T359510
1-1/4"	#T359512
1-1/2"	#T359515
2"	#T359520

**BRASS VALVES
MINI BALL VALVES**



1/4"	1/4"
MALE x FEMALE	FEMALE x FEMALE
#MBVMF2	#MBVFF2

600# CWP

**MINI BRASS BALL VALVES
SATIN FINISH
400# CWP**



	MALE x FEMALE	FEMALE x FEMALE
1/8"	#MV608-2	#MV609-2
1/4"	#MV608-4	#MV609-4
3/8"	#MV608-6	#MV609-6
1/2"	#MV608-8	#MV609-8



**BRONZE BALL VALVE
MALE x FEMALE
600# CWP**

1/2"	#70-803
3/4"	#70-804
1"	#70-805
1-1/4"	#70-806
1-1/2"	#70-807

BRASS VALVES



**APOLLO®
BRONZE BALL VALVE
THREADED – FULL PORT**

600# CWP

1/4"	#T77C2
3/8"	#T77C3
1/2"	#T77C5
3/4"	#T77C7
1"	#T77C10
1-1/4"	#T77C12
1-1/2"	#T77C15
2"	#T77C20
2-1/2"	#T7025*
3"	#T7030*
4"	#T7040*

FOR APOLLO® SOLDER VALVES, CHANGE THE "T" TO "S".

*STANDARD PORT



**BRONZE BALL VALVE
PAD LOCKING
600# CWP**

1/2"	#75-103
3/4"	#75-104
1"	#75-105
1-1/4"	#75-106
1-1/2"	#75-107
2"	#75-108

BRASS VALVES



**BRASS BALL VALVE
TAPPED FOR TEST COCK**

**FOR SUPPLY SIDE OF
BACKFLOW DEVICE.**

(TEST COCK SOLD SEPARATELY)

1/2"	#781-244
3/4"	#781-053
1"	#781-054
1-1/4"	#781-055
1-1/2"	#781-056
2"	#781-057

**BRASS
TEST COCK,
SCREWDRIVER
STOP**



MALE x FEMALE

1/8" x 1/4"	#755-MFZ0
1/4" x 1/4"	#755-MFZ1



**BRONZE BALL VALVE
3-WAY
400# CWP**

1/4"	#B6780-2
3/8"	#B6780-3
1/2"	#70-603
3/4"	#70-604
1"	#70-605
1-1/4"	#70-606
1-1/2"	#70-607
2"	#70-608

BRASS VALVES



**BRASS
GATE VALVE,
THREADED**

200# CWP

1/4"	#TGVI2
3/8"	#TGVI3
1/2"	#TGVI5
3/4"	#TGVI7
1"	#TGVI10
1-1/4"	#TGVI12
1-1/2"	#TGVI15
2"	#TGVI20
2-1/2"	#TGVI25
3"	#TGVI30
4"	#TGVI40



**BRONZE
GATE VALVE,
THREADED**

200# CWP

1/2"	#T1135
3/4"	#T1137
1"	#T11310
1-1/4"	#T11312
1-1/2"	#T11315
2"	#T11320
2-1/2"	#T11325
3"	#T11330

(RISING STEM, SEE NEXT PAGE)

BRASS VALVES



**BRASS
GATE VALVE,
SWEAT**

200# CWP

1/2"	#SGVI5
3/4"	#SGVI7
1"	#SGVI10
1-1/4"	#SGVI12
1-1/2"	#SGVI15
2"	#SGVI20
2-1/2"	#SGVI25
3"	#SGVI30
4"	#SGVI40



**BRONZE
GATE VALVE,
SWEAT**

200# CWP

1/2"	#S1135
3/4"	#S1137
1"	#S11310
1-1/4"	#S11312
1-1/2"	#S11315
2"	#S11320
2-1/2"	#S11325
3"	#S11330

**** WEBSITES ****

- www.nibco.com
- www.redwhitevalveusa.com
- www.apollovalves.com
- www.matco-norca.com

BRASS VALVES

BRONZE GATE VALVE, THREADED



300# CWP - 150# STEAM

1/2"	#T1365
3/4"	#T1367
1"	#T13610
1-1/4"	#T13612
1-1/2"	#T13615
2"	#T13620

BRONZE GATE VALVE, THREADED



600# CWP - 300# STEAM

1/2"	#T1765
3/4"	#T1767
1"	#T17610
1-1/4"	#T17612
1-1/2"	#T17615
2"	#T17620

BRONZE GATE VALVE, THREADED - RISING STEM



200# CWP
(FOR USE ON INSULATED LINES)

1/2"	#TGVR5
3/4"	#TGVR7
1"	#TGVR10
1-1/4"	#TGVR12
1-1/2"	#TGVR15
2"	#TGVR20

BRASS VALVES

BRONZE GLOBE VALVE, THREADED



200# CWP
WITH TEFLON SEAT DISC

1/4"	#T2112
1/2"	#T2115
3/4"	#T2117
1"	#T21110
1-1/4"	#T21112
1-1/2"	#T21115
2"	#T21120

BRONZE ANGLE GLOBE VALVE, THREADED



200# CWP
WITH TEFLON SEAT DISC

1/2"	#T3115
3/4"	#T3117
1"	#T31110
1-1/4"	#T31112
1-1/2"	#T31115
2"	#T31120

NEEDLE VALVE, HIGH PRESSURE



AVAILABLE IN STEEL
OR STAINLESS STEEL.
SIZES 1/8" - 1"

BRASS VALVES



BRASS COMPRESSION BALL VALVE

FITS COPPER TUBING -
NO SOLDERING REQUIRED

1/2"	#COBV5
3/4"	#COBV7
1"	#COBV10

BRASS COMPRESSION GATE VALVE



FITS COPPER TUBING -
NO SOLDERING REQUIRED

1/2"	#COGV5
3/4"	#COGV7
1"	#COGV10

BRONZE NEEDLE VALVE, THREADED



200# CWP
FOR APPLICATIONS WHERE
PRECISE FLOW IS REQUIRED.

1/8"	#UNV1
1/4"	#UNV2
3/8"	#UNV3
1/2"	#UNV5
3/4"	#UNV7

BRASS VALVES



**BRONZE
SWING CHECK VALVE
THREADED, DOMESTIC**

200# CWP

TEFLON SEAT

- 1/4" #T4132
- 3/8" #T4133
- 1/2" #T4135
- 3/4" #T4137
- 1" #T41310
- 1-1/4" #T41312
- 1-1/2" #T41315
- 2" #T41320
- 2-1/2" & 3" - SEE BELOW



**BRONZE
SWING CHECK VALVE
THREADED, DOMESTIC**

300# CWP - 150# STEAM

TEFLON SEAT

- 1/2" #T4335
- 3/4" #T4337
- 1" #T43310
- 1-1/4" #T43312
- 1-1/2" #T43315
- 2" #T43320
- 2-1/2" #T43325
- 3" #T43330

BRASS VALVES



**BRASS
SWING CHECK VALVE
THREADED, 200# CWP**

BRASS SEAT

- 1/2" #TCVI5
- 3/4" #TCVI7
- 1" #TCVI10
- 1-1/4" #TCVI12
- 1-1/2" #TCVI15
- 2" #TCVI20
- 2-1/2" #TCVI25
- 3" #TCVI30
- 4" #TCVI40

**HAND CLEANING
TOWELS**



**PRE-
MOISTENED
TOWELS**

#45333

HAND CLEANER



PERMATEX

**FAST
ORANGE**

- 15 OZ. #25116
- 1 GAL. WITH PUMP #25218
- HAND & NAIL BRUSH #73864

BRASS VALVES



**BRASS
SWING CHECK VALVE
SWEAT, 200# CWP**

BRASS SEAT

- 1/2" #SCVI5
- 3/4" #SCVI7
- 1" #SCVI10
- 1-1/4" #SCVI12
- 1-1/2" #SCVI15
- 2" #SCVI20
- 2-1/2" #SCVI25
- 3" #SCVI30
- 4" #SCVI40



**BRONZE
SWING CHECK VALVE
SWEAT, DOMESTIC**

200# CWP

TEFLON SEAT

- 1/2" #S4135
- 3/4" #S4137
- 1" #S41310
- 1-1/4" #S41312
- 1-1/2" #S41315
- 2" #S41320

BRASS VALVES



APOLLO® BRONZE BALL CONE® SPRING LOADED CHECK VALVE, THREADED

400# CWP - 125# STEAM

FOR HORIZONTAL AND VERTICAL INSTALLATIONS

1/4"	#61-101
3/8"	#61-102
1/2"	#61-103
3/4"	#61-104
1"	#61-105
1-1/4"	#61-106
1-1/2"	#61-107
2"	#61-108
2-1/2"	#61-109
3"	#61-100

OPENING PRESSURE: 1/2 POUND



IRON FOOT CHECK VALVE WITH STRAINER

FEMALE INLET

1-1/2"	#DFVS20
2"	#DFVS25
2-1/2"	#DFVS30
3"	#DFVS35
4"	#DFVS40

LARGER SIZES AVAILABLE

BRASS VALVES



BRONZE SPRING LOADED CHECK VALVE, THREADED

250# CWP

TEFLON SEAT. FOR HORIZONTAL AND VERTICAL INSTALLATIONS

3/8"	#T4803
1/2"	#T4805
3/4"	#T4807
1"	#T48010
1-1/4"	#T48012
1-1/2"	#T48015
2"	#T48020

3/8" & 1/2" : 1-1/2 POUNDS TO OPEN.
3/4" - 2" : 1/2 POUND TO OPEN.



BRONZE SPRING LOADED CHECK VALVE, SWEAT

(SAME SPECS AS ABOVE)

1/2"	#S4805
3/4"	#S4807
1"	#S48010
1-1/4"	#S48012
1-1/2"	#S48015
2"	#S48020

3/8" & 1/2" : 1-1/2 POUNDS TO OPEN.
3/4" - 2" : 1/2 POUND TO OPEN.

WYE STRAINER (BRONZE)



BRONZE WYE STRAINER, THREADED

300# CWP - 150# STEAM

1/4"	#TWSI2
3/8"	#TWSI3
1/2"	#TWSI5
3/4"	#TWSI7
1"	#TWSI10
1-1/4"	#TWSI12
1-1/2"	#TWSI15
2"	#TWSI20
2-1/2"	#TWSI25
3"	#TWSI30
4"	#TWSI40*

* 200# CWP



BRONZE WYE STRAINER, SWEAT

300# CWP - 150# STEAM

1/2"	#SWSI5
3/4"	#SWSI7
1"	#SWSI10
1-1/4"	#SWSI12
1-1/2"	#SWSI15
2"	#SWSI20



BRONZE "V" STRAINER, THREADED

1/4" #272

**WYE STRAINERS
(IRON)**



**IRON WYE STRAINER,
THREADED**

400# WOG - 250# STEAM

1/4"	#77S2
3/8"	#77S3
1/2"	#77S5
3/4"	#77S7
1"	#77S10
1-1/4"	#77S12
1-1/2"	#77S15
2"	#77S20
2-1/2"	#77SI25
3"	#77SI30

BLOW DOWN PLUG
NOT INCLUDED.



**FLANGED IRON
WYE STRAINER**

200# WOG - 125# STEAM

2"	#77FDI20
2-1/2"	#77FDI25
3"	#77FDI30
4"	#77FDI40
6"	#77FDI60

LARGER SIZES AVAILABLE

IRON VALVES



**BUTTERFLY VALVE,
WAFER STYLE**

IRON BODY 200# EPDM LINER,
ALUMINUM BRONZE DISC,
LEVER HANDLE

2"	#WD2020
2-1/2"	#WD2025
3"	#WD2030
4"	#WD2040
5"	#WD2050
6"	#WD2060
8"	#WD2080

LARGER SIZES AVAILABLE.
ACTUATION AVAILABLE.



**BUTTERFLY VALVE,
LUG STYLE**

(SAME SPECS AS ABOVE)

2"	#LD2020
2-1/2"	#LD2025
3"	#LD2030
4"	#LD2040
5"	#LD2050
6"	#LD2060
8"	#LD2080

LARGER SIZES AVAILABLE.
ACTUATION AVAILABLE.

IRON VALVES



**FLANGED
IRON
GATE VALVE**

OS&Y (OUTSIDE STEM & YOKE)
200# WOG - 125# STEAM

2"	#F61720
2-1/2"	#F61725
3"	#F61730
4"	#F61740
6"	#F61760

LARGER SIZES AVAILABLE

EPOXY COATED
SEE NEXT PAGE



**FLANGED
IRON
GATE VALVE**

NRS (NON-RISING STEM)
200# WOG - 125# STEAM

2"	#F61920
2-1/2"	#F61925
3"	#F61930
4"	#F61940
6"	#F61960

LARGER SIZES AVAILABLE

EPOXY COATED
SEE NEXT PAGE



IRON VALVES

**FLANGED
IRON
SILENT
CHECK
VALVE**



SPRING ACTUATED
(DUAL CLASS RATING 125#/250#)

2-1/2"	#F91025
3"	#F91030
4"	#F91040
6"	#F91060

**IRON GATE VALVE
– EPOXY COATED –**



EPOXY COATED
RESILIENT WEDGE
FLANGED

NON-RISING STEM (NRS)

WITH 2" OPERATING NUT:

3"	#FGVE4
4"	#FGVE5
6"	#FGVE6
8"	#FGVE7

WITH WHEEL HANDLE:

2-1/2"	#FGVE11
3"	#FGVE12
4"	#FGVE13
6"	#FGVE14
8"	#FGVE15

RISING STEM (OS&Y)

WITH WHEEL HANDLE:

2-1/2"	#FGVE19
3"	#FGVE20
4"	#FGVE21
6"	#FGVE22
8"	#FGVE23

IRON VALVES



**FLANGED IRON
SWING CHECK VALVE**

200# WOG - 125# STEAM

FOR HORIZONTAL AND
VERTICAL INSTALLATIONS.

2-1/2"	#F91825
3"	#F91830
4"	#F91840
6"	#F91860

LARGER SIZES AVAILABLE



**WAFER
STYLE
SILENT
CHECK
VALVE**

WAFER STYLE
SPRING ACTIVATED
(DUAL CLASS RATING 125#/250#)

2-1/2"	#W91025
3"	#W91030
4"	#W91040
6"	#W91060

LARGER SIZES AVAILABLE

ACTUATED VALVES



**BALL
VALVES**



**BUTTERFLY
VALVES**

– INFORMATION NEEDED –

AIR ACTUATION:

- TYPE OF VALVE
- MATERIAL OF VALVE
- PIPE SIZE
- MEDIA (WATER, STEAM, ETC.)
- PRESSURE
- TEMPERATURE
- LBS AIR SUPPLY TO VALVE
- AIR OPEN / AIR CLOSE
OR
- AIR OPEN / SPRING CLOSE

ELECTRIC ACTUATION:

- TYPE OF VALVE
- MATERIAL OF VALVE
- PIPE SIZE
- MEDIA (WATER, STEAM, ETC.)
- PRESSURE
- TEMPERATURE
- VOLTAGE
- NORMALLY CLOSED
OR
- NORMALLY OPEN

OPTIONS:

- WEATHER PROOF (NEMA 4)
- EXPLOSION PROOF (NEMA 7)

BRASS NEEDLE VALVES

BRASS NEEDLE VALVE



MALE x FEMALE

1/8" #NVMF1
1/4" #NVMF2

BRASS NEEDLE VALVE



MALE x MALE

1/8" #NVMM1
1/4" #NVMM2

BRASS NEEDLE VALVE



FEMALE x FEMALE

1/8" #NVFF1
1/4" #NVFF2

BRASS NEEDLE DRAIN COCK



1/8" MALE #DC1
1/4" MALE #DC2
3/8" MALE #DC3

CAN'T FIND IT?

GIVE US A CALL

(714) 241-7050



BRASS PET COCK VALVES



BRASS PET COCK

MALE x FEMALE

1/8" #PMF1
1/4" #PMF2
3/8" #PMF3



BRASS PET COCK

MALE x MALE

1/8" #PMM1
1/4" #PMM2
3/8" #PMM3



BRASS PET COCK

FEMALE x FEMALE

1/8" #PFF1
1/4" #PFF2
3/8" #PFF3



BRASS DRAIN VALVE

1/8" MALE #DV1
1/4" MALE #DV2
3/8" MALE #DV3

BRASS VALVES



FIRE HOSE VALVE

UL & FM APPROVED

FEMALE PIPE INLET	MALE FIRE HOSE OUTLET	
1-1/2"	1-1/2"	#AV-150
2-1/2"	2-1/2"	#AV-250



ADD A VALVE

AVAILABLE SIZES: 1/2" - 2"
(SPECIFY COPPER TUBING OR IRON PIPE)

DESIGNED FOR INSTALLING A SHUT OFF VALVE WHILE LINE IS UNDER PRESSURE.



Y-BLOW DOWN VALVE

AVAILABLE SIZES: 3/4" - 2"



QUICK OPENING GATE VALVE

AVAILABLE SIZES: 1/2" - 4"



STAINLESS STEEL VALVES

STAINLESS WYE STRAINER



1/4"	#SWS2
3/8"	#SWS3
1/2"	#SWS5
3/4"	#SWS7
1"	#SWS10
1-1/4"	#SWS12
1-1/2"	#SWS15
2"	#SWS20

STAINLESS GATE VALVE



1/2"	#SGV5
3/4"	#SGV7
1"	#SGV10
1-1/4"	#SGV12
1-1/2"	#SGV15
2"	#SGV20

STAINLESS GLOBE VALVE



1/2"	#SGLV5
3/4"	#SGLV7
1"	#SGLV10
1-1/4"	#SGLV12
1-1/2"	#SGLV15
2"	#SGLV20

CAN'T FIND IT?

GIVE US A CALL

(714) 241-7050



STAINLESS STEEL VALVES



STAINLESS BALL VALVE, STANDARD PORT 800#

1/4" & 3/8"	SEE BELOW
1/2"	#SBV5
3/4"	#SBV7
1"	#SBV10
1-1/4"	#SBV12
1-1/2"	#SBV15
2"	#SBV20
2-1/2" & 3"	SEE BELOW



STAINLESS BALL VALVE, FULL PORT 1000#

1/4"	#SBVFP2
3/8"	#SBVFP3
1/2"	#SBVFP5
3/4"	#SBVFP7
1"	#SBVFP10
1-1/4"	#SBVFP12
1-1/2"	#SBVFP15
2"	#SBVFP20
2-1/2"	#SBVFP25
3"	#SBVFP30



STAINLESS BALL VALVE, 3 PIECE FULL PORT 1000#

1/4"	#SBV32
3/8"	#SBV33
1/2"	#SBV35
3/4"	#SBV37
1"	#SBV310
1-1/4"	#SBV312
1-1/2"	#SBV315
2"	#SBV320

STAINLESS STEEL VALVES



STAINLESS MINI BALL VALVE 600#

1/4" FIP x FIP	#SMBVFF2
1/4" MIP x FIP	#SMBVMF2



STAINLESS SWING CHECK VALVE

1/4"	#SCV2
3/8"	#SCV3
1/2"	#SCV5
3/4"	#SCV7
1"	#SCV10
1-1/4"	#SCV12
1-1/2"	#SCV15
2"	#SCV20



STAINLESS SPRING CHECK VALVE

BUBBLE TIGHT SHUT-OFF

1/4"	#62-101
3/8"	#62-102
1/2"	#62-103
3/4"	#62-104
1"	#62-105
1-1/4"	#62-106
1-1/2"	#62-107
2"	#62-108

PVC VALVES



TRUE UNION BALL VALVE
GRAY — PVC

SLIP & THREADED ENDS

1/2"	#3629-005
3/4"	#3629-007
1"	#3629-010
1-1/4"	#3629-012
1-1/2"	#3629-015
2"	#3629-020

SLIP ENDS

2-1/2"	#3622-025
3"	#3622-030
4"	#3622-040
6"	#1822-060



PVC BUTTERFLY VALVE
LEVER HANDLE

2"	#PBVL20
2-1/2"	#PBVL25
3"	#PBVL30
4"	#PBVL40
6"	#PBVL60
8"	#PBVL80

LARGER SIZES AVAILABLE.
ACTUATION AVAILABLE.

PVC VALVES



COMPACT BALL VALVE
WHITE — PVC

SLIP ENDS

1/2"	#2622-005
3/4"	#2622-007
1"	#2622-010
1-1/4"	#2622-012
1-1/2"	#2622-015
2"	#2622-020
2-1/2"	#2622-025
3"	#2622-030
4"	#2622-040
6"	#2622-060



COMPACT BALL VALVE
WHITE — PVC

THREADED ENDS

1/2"	#2621-005
3/4"	#2621-007
1"	#2621-010
1-1/4"	#2621-012
1-1/2"	#2621-015
2"	#2621-020
2-1/2"	#2621-025
3"	#2621-030
4"	#2621-040

PVC VALVES



COMPACT BALL VALVE
GRAY — PVC

SLIP ENDS

1/2"	#2132-005
3/4"	#2132-007
1"	#2132-010
1-1/4"	#2132-012
1-1/2"	#2132-015
2"	#2132-020
2-1/2"	#2132-025
3"	#2132-030
4"	#2132-040
6"	#2132-060



COMPACT BALL VALVE
GRAY — PVC

THREADED ENDS

1/2"	#2131-005
3/4"	#2131-007
1"	#2131-010
1-1/4"	#2131-012
1-1/2"	#2131-015
2"	#2131-020

LARGER SIZES AVAILABLE

**** WEBSITE ****



www.spearsmfg.com

WARNING: PVC VALVES, PIPE & FITTINGS NOT FOR USE WITH COMPRESSED AIR OR GAS.

**PVC CHECK VALVE
- BALL CHECK -**



TRUE UNION
SLIP & THREADED ENDS

1/2"	#4529-005
3/4"	#4529-007
1"	#4529-010
1-1/4"	#4529-012
1-1/2"	#4529-015
2"	#4529-020
2-1/2"	#4522-025
3"	#4522-030
4"	#4522-040

(2-1/2", 3" & 4" SLIP ENDS ONLY)

**PVC
FOOT VALVE
SCREEN**

(SPIGOT END)



USE WITH ABOVE BALL CHECK VALVE TO MAKE A FOOT VALVE.

1/2"	#PFVS5
3/4"	#PFVS7
1"	#PFVS10
1-1/4"	#PFVS12
1-1/2"	#PFVS15
2"	#PFVS20
3"	#PFVS30

**PLASTIC
FOOT
VALVE
SCREEN**



MALE

1/2"	#1800-05
3/4"	#1800-07
1"	#1800-10
1-1/4"	#1800-12
1-1/2"	#1800-15
2"	#1800-20

**PVC CHECK VALVE
- SWING -**

CLEAR BODY



TRUE
UNION,
SWING

SLIP ENDS

1/2"	#S1720C5
3/4"	#S1720C7
1"	#S1720C10
1-1/4"	#S1720C12
1-1/2"	#S1720C15
2"	#S1720C20
2-1/2"	#S1720C25
3"	#S1720C30
4"	#S1720C40

**PVC CHECK VALVE
- SPRING -**

(.5 PSI)

CLEAR BODY



TRUE
UNION,
SPRING
(.5 PSI)

SLIP ENDS

1/2"	#S1780C5
3/4"	#S1780C7
1"	#S1780C10
1-1/4"	#S1780C12
1-1/2"	#S1780C15
2"	#S1780C20
2-1/2"	#S1780C25
3"	#S1780C30
4"	#S1780C40



ONE PIECE,
SWING

SLIP ENDS

1/2"	#S1520C5
3/4"	#S1520C7
1"	#S1520C10
1-1/4"	#S1520C12
1-1/2"	#S1520C15
2"	#S1520C20
2-1/2"	#S1520C25
3"	#S1520C30
4"	#S1520C40
6"	#S1520C60

THREADED ENDS

1/2"	#S1520CF5
3/4"	#S1520CF7
1"	#S1520CF10
1-1/4"	#S1520CF12
1-1/2"	#S1520CF15
2"	#S1520CF20



ONE PIECE,
SPRING
(.5 PSI)

SLIP ENDS

1/2"	#S1580C5
3/4"	#S1580C7
1"	#S1580C10
1-1/4"	#S1580C12
1-1/2"	#S1580C15
2"	#S1580C20
2-1/2"	#S1580C25
3"	#S1580C30
4"	#S1580C40

THREADED ENDS

1/2"	#S1580CF5
3/4"	#S1580CF7
1"	#S1580CF10
1-1/4"	#S1580CF12
1-1/2"	#S1580CF15
2"	#S1580CF20

LARGER SIZES AVAILABLE

PVC 3-WAY BALL VALVE

**TRUE UNION
SLIP ENDS
L-PORT**



FEEDS FROM BOTTOM PORT.
DIVERTS LEFT, RIGHT OR OFF.

1/2"	#P3BV5
3/4"	#P3BV7
1"	#P3BV10
1-1/4"	#P3BV12
1-1/2"	#P3BV15
2"	#P3BV20
2-1/2"	#P3BV25
3"	#P3BV30
4"	#P3BV40

PVC DIAPHRAGM VALVE



**TRUE UNION
SLIP & THREADED ENDS**

1/2"	#PDPV5
3/4"	#PDPV7
1"	#PDPV10
1-1/4"	#PDPV12
1-1/2"	#PDPV15
2"	#PDPV20

**MINI
PLASTIC
WYE
STRAINER,
THREADED**



1/4"	#P7771002
3/8"	#P7771003

PVC WYE STRAINER



**TRUE UNION
CLEAR BODY
SLIP ENDS
20 MESH PLASTIC SCREEN**

1/2"	#PWSC5
3/4"	#PWSC7
1"	#PWSC10
1-1/4"	#PWSC12
1-1/2"	#PWSC15
2"	#PWSC20
3"	#PWSC30
4"	#PWSC40

REPLACEMENT SCREENS
AVAILABLE

PVC GATE VALVES



SLIP ENDS:

1/2"	#2012-005
3/4"	#2012-007
1"	#2012-010
1-1/4"	#2012-012
1-1/2"	#2012-015
2"	#2012-020

LARGER SIZES AVAILABLE

THREADED ENDS:

1/2"	#2011-005
3/4"	#2011-007
1"	#2011-010
1-1/4"	#2011-012
1-1/2"	#2011-015
2"	#2011-020

**PVC LAB COCKS
(SAMPLE VALVE)**



1/4" MALE x BARB
#PLCMB2



1/4" FEMALE x FEMALE
#PLCF2



1/4" MALE x FEMALE
#PLCMF2

FOR 1/4" MALE x MALE, ADD
1/4" x CLOSE PVC NIPPLE
#PN2CL



1/4" BARB x BARB
#PLCB2

PVC NEEDLE VALVES



1/4" THREADED

STRAIGHT	#5591-002
ANGLE	#5691-002

**CPVC VALVES
HI-TEMPERATURE**

**CPVC
BALL VALVE
COMPACT
(HI-TEMP.)**



SLIP ENDS (CPVC)

1/2"	#2132-005C
3/4"	#2132-007C
1"	#2132-010C
1-1/4"	#2132-012C
1-1/2"	#2132-015C
2"	#2132-020C
3"	#2132-030C

THREADED ENDS (CPVC)

1/2"	#2131-005C
3/4"	#2131-007C
1"	#2131-010C
1-1/4"	#2131-012C
1-1/2"	#2131-015C
2"	#2131-020C

**CPVC
BALL VALVE
TRUE UNION
(HI-TEMP.)**



SLIP & THR. ENDS (CPVC)

1/2"	#3639-005C
3/4"	#3639-007C
1"	#3639-010C
1-1/4"	#3639-012C
1-1/2"	#3639-015C
2"	#3639-020C

**CPVC BALL
CHECK VALVE
TRUE UNION
(HI-TEMP.)**



SLIP & THR. ENDS (CPVC)

1/2"	#4539-005C
3/4"	#4539-007C
1"	#4539-010C
1-1/4"	#4539-012C
1-1/2"	#4539-015C
2"	#4539-020C

**TANK ADAPTER
PVC & CPVC**

(BULKHEAD FITTING)



SLIP x FEMALE:

	PVC	CPVC
1/2"	#TAST5	#CTAST5
3/4"	#TAST7	#CTAST7
1"	#TAST10	#CTAST10
1-1/4"	#TAST12	#CTAST12
1-1/2"	#TAST15	#CTAST15
2"	#TAST20	#CTAST20
3"	#TAST30	*
4"	#TAST40	*

FEMALE x FEMALE:

	PVC	CPVC
1/2"	#TAT5	#CTAT5
3/4"	#TAT7	#CTAT7
1"	#TAT10	#CTAT10
1-1/4"	#TAT12	#CTAT12
1-1/2"	#TAT15	#CTAT15
2"	#TAT20	#CTAT20
3"	#TAT30	*
4"	#TAT40	*

* = AVAILABLE
REPLACEMENT GASKETS
IN STOCK.

PVC BASKET STRAINER



**THREADED
ENDS**

1-1/2"	#SB1-150ST
2"	#SB1-200ST

OTHER SIZES AND VARIATIONS
AVAILABLE

**PVC PRESSURE
REGULATOR**



**ADJUSTABLE
5# - 75#
OUTLET
PRESSURE**

FEMALE:

1/4"	#HPR2
1/2"	#HPR5
3/4"	#HPR7
1"	#HPR10
1-1/2"	#HPR15

www.haywardindustrial.com

**PLASTIC MINIATURE
PRESSURE REGULATOR**



**ADJUSTABLE
0# - 125#
OUTLET
PRESSURE**

COMPACT DESIGN

1/4" FEMALE	#P60C2
-------------	--------

**PVC PRESSURE
RELIEF VALVE**



**ADJUSTABLE
5# - 75#
RELIEF
SETTING**

FEMALE:

1/2"	#HPRV5
3/4"	#HPRV7
1"	#HPRV10
1-1/2"	#HPRV15
2"	#HPRV20

PVC ACTUATED VALVE

PVC BALL VALVE

COMPACT BODY (ECONOMY)



GENERAL PURPOSE
1/4 TURN SHUT-OFF
BASIC ON/OFF OPERATION
115V AC STANDARD

SOCKET ENDS:

1/2"	#E1404-005
3/4"	#E1404-007
1"	#E1404-010
1-1/2"	#E1404-015
2"	#E1404-020

THREADED OR FLANGED ENDS AVAILABLE.

OTHER OPTIONS AVAILABLE

CAN'T FIND IT?

GIVE US A CALL

(714) 241-7050



PVC ACTUATED VALVES



PVC BALL VALVES

TRUE UNION

PVC BUTTERFLY VALVES



– INFORMATION NEEDED –

AIR ACTUATION:

- TYPE OF VALVE
- PIPE SIZE
- MEDIA (WATER, ETC.)
- PRESSURE
- TEMPERATURE
- LBS OF AIR SUPPLY TO VALVE
- AIR OPEN / AIR CLOSE OR
- AIR OPEN / SPRING CLOSE

ELECTRIC ACTUATION:

- TYPE OF VALVE
- PIPE SIZE
- MEDIA (WATER, ETC.)
- PRESSURE
- TEMPERATURE
- VOLTAGE
- NORMALLY CLOSED OR
- NORMALLY OPEN

OPTIONS:

- WEATHER PROOF (NEMA 4)
- EXPLOSION PROOF (NEMA 7)

www.spearsmfg.com

PLASTIC ECONOMY SOLENOID VALVE



NORYL PLASTIC BODY

GENERAL PURPOSE
NORMALLY CLOSED
GOOD TO 180°F
VITON SEALS
120 VOLT AC

1/2"	#PISV5
3/4"	#PISV7
1"	#PISV10

LARGER SIZES AVAILABLE

PVC SOLENOID VALVE



PVC TRUE UNION BODY
SOCKET & THREADED ENDS
NORMALLY CLOSED
115V AC STANDARD
NO PRESSURE DIFFERENTIAL REQUIRED

1/2"	#SV10-050-STE
3/4"	#SV10-075-STE
1"	#SV10-100-STE

OTHER OPTIONS AND MATERIALS AVAILABLE.

www.haywardindustrial.com

PVC BACKWATER VALVE



SLIP ENDS
(NON-PRESSURE SERVICE)

- 3" #BWV3P
- 4" #BWV4P
- 6" #BWV6P

(FOR ABS, SEE PAGE 8)

PVC FLANGED SWING CHECK VALVE



- 3" #PFCV30
- 4" #PFCV40
- 6" #PFCV60

PVC COMPRESSION x MALE ADAPTER



- 1/2" #S130-05
- 3/4" #S130-07
- 1" #S130-10
- 1-1/4" #S130-12
- 1-1/2" #S130-15
- 2" #S130-20

PLASTIC HOSE BIBB



MALE

- 1/2" #HBM-500T
- 3/4" #HBM-750T

PVC COMPRESSION REPAIR COUPLING



PIPE SIZE

- 1/2" #S110-05
- 3/4" #S110-07
- 1" #S110-10
- 1-1/4" #S110-12
- 1-1/2" #S110-15
- 2" #S110-20
- 2-1/2" #S110-25
- 3" #S110-30
- 4" #S110-40
- 6" #S110-60

PVC SLIP-FIX COUPLING



TELESCOPING

PIPE SIZE

- 1/2" #S119-05
- 3/4" #S119-07
- 1" #S119-10
- 1-1/4" #S119-12
- 1-1/2" #S119-15
- 2" #S119-20
- 2-1/2" #S119-25
- 3" #S119-30
- 4" #S119-40
- 6" #S119-60

PVC GOOSENECK LAB FAUCET



FOR DECK MOUNTING

3/8" FEMALE INLET

BALL VALVE OPERATED

#LF-1002

PVC FLOAT VALVES



- 1/2" #5412-005
- 3/4" #5412-007
- 1" #5412-010

PVC FLOAT VALVE (ECONOMY)



1" FIP TOP CONNECTION

#5410-010

PVC GAUGE GUARD



(GAUGE SOLD SEPARATELY)

- 1/4" x 1/4" #G0003-002
- 1/2" x 1/4" #G0003-005